

Attachment 11.1 Tritium in Water - 1996

<u>Sampling Location</u>	<u>Collection Date</u>	<u>Concentration</u>	<u>Standard Deviation</u>	<u>µCi/mL</u>	<u>MDC</u>
<b>SUPPLY WELLS</b>					
Area 5, Well 5B	01/17/96	-2.6 x 10 <sup>-9</sup>	4.5 x 10 <sup>-9</sup>	1.6 x 10 <sup>-8</sup>	
Area 5, Well 5B	05/09/96	4.1 x 10 <sup>-9</sup>	3.4 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 5, Well 5B	07/15/96	-2.2 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 5, Well 5B	10/07/96	1.3 x 10 <sup>-8</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 5, Well 5C	01/17/96	2.5 x 10 <sup>-9</sup>	4.5 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 5, Well 5C	05/09/96	2.5 x 10 <sup>-9</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 5, Well 5C	07/15/96	4.3 x 10 <sup>-10</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 5, Well 5C	10/07/96	7.4 x 10 <sup>-11</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 6, Well No. 4A	01/17/96	4.3 x 10 <sup>-9</sup>	4.7 x 10 <sup>-9</sup>	1.6 x 10 <sup>-8</sup>	
Area 6, Well No. 4A	06/04/96	3.7 x 10 <sup>-9</sup>	4.3 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 6, Well No. 4A	07/15/96	-1.9 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 6, Well No. 4A	10/07/96	-5.4 x 10 <sup>-10</sup>	4.4 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 6, Well No. 4	01/17/96	2.5 x 10 <sup>-9</sup>	4.5 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 6, Well No. 4	05/09/96	-7.7 x 10 <sup>-10</sup>	3.4 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 6, Well No. 4	07/15/96	6.3 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 6, Well No. 4	10/07/96	3.5 x 10 <sup>-9</sup>	4.1 x 10 <sup>-9</sup>	1.3 x 10 <sup>-8</sup>	
Area 6, Well C-1	01/17/96	4.9 x 10 <sup>-9</sup>	4.6 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 6, Well C-1	05/09/96	-2.0 x 10 <sup>-9</sup>	3.3 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 6, Well C-1	07/15/96	7.3 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 6, Well C-1	10/07/96	6.8 x 10 <sup>-9</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 16, Well UE-16d	01/17/96	1.8 x 10 <sup>-9</sup>	4.4 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 16, Well UE-16d	05/09/96	3.9 x 10 <sup>-9</sup>	3.2 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 16, Well UE-16d	07/15/96	2.5 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 16, Well UE-16d	10/07/96	3.9 x 10 <sup>-10</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 18, Well HTH No. 8	01/17/96	8.9 x 10 <sup>-10</sup>	4.8 x 10 <sup>-9</sup>	1.6 x 10 <sup>-8</sup>	
Area 18, Well HTH No. 8	05/09/96	4.8 x 10 <sup>-9</sup>	4.1 x 10 <sup>-9</sup>	1.3 x 10 <sup>-8</sup>	
Area 18, Well HTH No. 8	07/15/96	-7.7 x 10 <sup>-10</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 18, Well HTH No. 8	10/07/96	-3.8 x 10 <sup>-9</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 22, Army Well No. 1	01/17/96	3.2 x 10 <sup>-9</sup>	4.5 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 22, Army Well No. 1	05/07/96	2.4 x 10 <sup>-9</sup>	3.5 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 22, Army Well No. 1	07/15/96	5.5 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 22, Army Well No. 1	10/07/96	1.0 x 10 <sup>-8</sup>	3.5 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 25, Well J-12	01/17/96	-1.6 x 10 <sup>-9</sup>	4.7 x 10 <sup>-9</sup>	1.6 x 10 <sup>-8</sup>	
Area 25, Well J-12	05/09/96	1.1 x 10 <sup>-9</sup>	3.9 x 10 <sup>-9</sup>	1.3 x 10 <sup>-8</sup>	
Area 25, Well J-12	07/15/96	1.7 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 25, Well J-12	10/07/96	-2.5 x 10 <sup>-9</sup>	3.9 x 10 <sup>-9</sup>	1.3 x 10 <sup>-8</sup>	
Area 25, Well J-13	01/17/96	1.7 x 10 <sup>-10</sup>	4.4 x 10 <sup>-9</sup>	1.5 x 10 <sup>-8</sup>	
Area 25, Well J-13	05/09/96	-2.1 x 10 <sup>-10</sup>	3.4 x 10 <sup>-9</sup>	1.1 x 10 <sup>-8</sup>	
Area 25, Well J-13	07/15/96	-6.9 x 10 <sup>-10</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 25, Well J-13	10/07/96	-3.2 x 10 <sup>-9</sup>	3.5 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	

Attachment 11.1 (Tritium in Water - 1996, cont.)

<u>Sampling Location</u>	<u>Collection Date</u>	<u>Concentration</u>	<u>Standard Deviation</u>	<u>µCi/mL</u>	<u>MDC</u>
<b>INDUSTRIAL WELLS</b>					
Area 5, Well UE-5c	01/31/96	-1.2 x 10 <sup>-8</sup>	4.8 x 10 <sup>-9</sup>	1.7 x 10 <sup>-8</sup>	
Area 5, Well UE-5c	05/09/96	4.0 x 10 <sup>-10</sup>	3.6 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 5, Well UE-5c	07/15/96	-4.2 x 10 <sup>-9</sup>	4.2 x 10 <sup>-9</sup>	1.4 x 10 <sup>-8</sup>	
Area 5, Well UE-5c	10/07/96	-3.0 x 10 <sup>-10</sup>	3.7 x 10 <sup>-9</sup>	1.2 x 10 <sup>-8</sup>	
Area 20, Well U-20	01/29/96	-1.5 x 10 <sup>-8</sup>	4.8 x 10 <sup>-9</sup>	1.7 x 10 <sup>-8</sup>	
<b>POTABLE WATER</b>					
Area 1, Building 101	01/09/96	-2.2 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 1, Building 101	05/09/96	5.6 x 10 <sup>-9</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 1, Building 101	07/11/96	-3.0 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 1, Building 101	10/01/96	4.6 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 2, Restroom	01/09/96	-2.3 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 2, Restroom	05/09/96	1.2 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 2, Restroom	07/11/96	-1.2 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 2, Restroom	10/01/96	1.2 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 6, Cafeteria	01/09/96	9.1 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>	
Area 6, Cafeteria	05/14/96	-1.4 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 6, Cafeteria	07/11/96	-2.0 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 6, Cafeteria	10/01/96	4.0 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 6, Building 6-900	01/09/96	5.1 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 6, Building 6-900	05/14/96	1.0 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 6, Building 6-900	07/11/96	-6.1 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 6, Building 6-900	10/01/96	-4.0 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 12, Building 12-23	01/09/96	2.6 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 12, Medical Aid Station	05/09/96	1.3 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 12, Ice House	07/11/96	-2.6 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 12, Ice House	10/01/96	2.0 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 23, Mercury Cafeteria	01/09/96	1.3 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 23, Mercury Cafeteria	05/14/96	3.4 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 23, Mercury Cafeteria	07/11/96	-4.3 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 23, Mercury Cafeteria	10/01/96	2.1 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 25, Building 4221	01/09/96	5.1 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
Area 25, Building 4221	05/14/96	-2.2 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 25, Building 4221	07/11/96	-6.1 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 25, Building 4221	10/01/96	-4.6 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.4 x 10 <sup>-7</sup>	
<b>RESERVIORS</b>					
Area 2, Mud Plant	07/22/96	7.4 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 3, Well A Reservoir	07/22/96	3.4 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 5, Well 5B Reservoir	07/15/96	4.6 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>	

Attachment 11.1 (Tritium in Water - 1996, cont.)

<u>Sampling Location</u>	<u>Collection Date</u>	<u>Concentration</u>	<u>Standard Deviation</u>	<u>µCi/mL</u>
				<u>MDC</u>

(RESERVIORS, cont.)

Area 5, Well UE-5c Reservoir	07/15/96	-1.5 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 6, Well 3 Reservoir	07/15/96	1.4 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 6, Well C-1 Reservoir	07/15/96	-1.3 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 18, Camp 17 Reservoir	07/22/96	-1.6 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 25, Well J-11 Reservoir	07/15/96	1.8 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 25, Well J-12 Reservoir	07/15/96	1.8 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>

NATURAL SPRINGS

Area 5, Cane Spring	07/15/96	1.1 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 7, Reitman Seep	07/15/96	9.7 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 12, White Rock	07/22/96	-6.8 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>
Area 12, Capt Jack	07/22/96	-1.0 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>
Area 15, Tub Springs	07/22/96	2.2 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>
Area 16, Tippipah Spring	07/15/96	2.9 x 10 <sup>-8</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>
Area 29, Topopah Spring	07/15/96	1.4 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.3 x 10 <sup>-7</sup>

CONTAINMENT PONDS

Area 12, E Tunnel Effluent	02/07/96	8.5 x 10 <sup>-4</sup>	2.2 x 10 <sup>-6</sup>	7.4 x 10 <sup>-7</sup>
Area 12, E Tunnel Effluent	05/30/96	7.8 x 10 <sup>-4</sup>	2.0 x 10 <sup>-6</sup>	7.4 x 10 <sup>-7</sup>
Area 12, E Tunnel Effluent	07/25/96	1.0 x 10 <sup>-3</sup>	2.4 x 10 <sup>-6</sup>	7.2 x 10 <sup>-7</sup>
Area 12, E Tunnel Effluent	10/31/96	1.1 x 10 <sup>-3</sup>	2.5 x 10 <sup>-6</sup>	7.6 x 10 <sup>-7</sup>
Area 12, E Tunnel Pond No. 1	02/07/96	8.8 x 10 <sup>-4</sup>	2.3 x 10 <sup>-6</sup>	7.4 x 10 <sup>-7</sup>
Area 12, E Tunnel Pond No. 1	05/30/96	1.1 x 10 <sup>-3</sup>	2.4 x 10 <sup>-6</sup>	7.1 x 10 <sup>-7</sup>
Area 12, E Tunnel Pond No. 2	07/25/96	1.0 x 10 <sup>-3</sup>	2.4 x 10 <sup>-6</sup>	7.2 x 10 <sup>-7</sup>
Area 12, E Tunnel Pond No. 2	10/31/96	9.9 x 10 <sup>-4</sup>	2.4 x 10 <sup>-6</sup>	7.6 x 10 <sup>-7</sup>

SEWAGE LAGOONS

Area 5, RWMS Sewage Pond	02/13/96	-1.4 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>
Area 5, RWMS Sewage Pond	05/07/96	2.5 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>
Area 5, RWMS Sewage Pond	08/08/96	-6.7 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>
Area 5, RWMS Sewage Pond	11/06/96	-3.7 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>
Area 6, Yucca Sewage Pond	02/13/96	-1.3 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>
Area 6, Yucca Sewage Pond	05/07/96	2.4 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>
Area 6, Yucca Sewage Pond	08/08/96	5.6 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>
Area 6, Yucca Sewage Pond	11/06/96	-1.5 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>
Area 6, DAF Sewage Pond	02/13/96	-1.7 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>
Area 6, DAF Sewage Pond	05/07/96	2.3 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>
Area 6, DAF Sewage Pond	08/08/96	1.0 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>

---

Attachment 11.1 (Tritium in Water - 1996, cont.)

<u>Sampling Location</u>	<u>Collection Date</u>	<u>Concentration</u>	<u>Standard Deviation</u>	<u>µCi/mL</u>	<u>MDC</u>
<hr/>					
(SEWAGE LAGOONS, cont.)					
Area 6, DAF Sewage Pond	11/06/96	-2.8 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 6, LANL Sewage Pond	02/13/96	-2.0 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 6, LANL Sewage Pond	05/07/96	3.4 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>	
Area 6, LANL Sewage Pond	08/08/96	3.0 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 6, LANL Sewage Pond	11/06/96	-7.3 x 10 <sup>-8</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 12, Sewage Pond	02/13/96	1.5 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 12, Sewage Pond	05/07/96	8.2 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>	
Area 12, Sewage Pond	08/08/96	-7.2 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 12, Sewage Pond	11/06/96	-1.5 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 22, Sewage Pond	02/13/96	-3.2 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 22, Sewage Pond	05/07/96	2.2 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>	
Area 22, Sewage Pond	08/08/96	-3.0 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 22, Sewage Pond	11/06/96	-2.6 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 23, Sewage Pond	02/13/96	-1.9 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 23, Sewage Pond	05/07/96	3.4 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>	
Area 23, Sewage Pond	08/08/96	-2.3 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 23, Sewage Pond	11/06/96	3.9 x 10 <sup>-10</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 25, Reactor Control Pond	02/13/96	-2.6 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 25, Reactor Control Pond	11/06/96	-1.6 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	
Area 25, Central Supply Pond	02/13/96	-1.9 x 10 <sup>-7</sup>	2.2 x 10 <sup>-7</sup>	7.5 x 10 <sup>-7</sup>	
Area 25, Central Supply Pond	05/07/96	2.8 x 10 <sup>-7</sup>	2.1 x 10 <sup>-7</sup>	6.9 x 10 <sup>-7</sup>	
Area 25, Central Supply Pond	08/08/96	-2.8 x 10 <sup>-8</sup>	2.1 x 10 <sup>-7</sup>	7.2 x 10 <sup>-7</sup>	
Area 25, Central Supply Pond	11/06/96	-2.9 x 10 <sup>-7</sup>	2.3 x 10 <sup>-7</sup>	7.7 x 10 <sup>-7</sup>	

---